

Solar Get-Lighting The Future



# PORTABLE SOLAR POWER

**Shandong Solar Get New Energy & Technology Co.,Ltd**

Head Quaters: No.60, Zicheng Road, Zibo City, Shandong, China

Production Base: No.24, Cao'an South Road, Zhongshan, Guangdong, China

Tel: +86 152 7533 6862

Email: [sales@solar-get.com](mailto:sales@solar-get.com)


[www.solar-get.com](http://www.solar-get.com)

SOLAR GET

*Lighting the future*



# Content



## ABOUT US

COMPANY PROFILE..... 01-02

## ▶ PORTABLE SOLAR POWER

SG001 SERIES..... 03-04

SG002 SERIES..... 05-06

SG003 SERIES..... 07-08

SG004 SERIES..... 09-10

SG005 SERIES..... 11-12

SG006 SERIES..... 13-14

SG007 SERIES..... 15-16

SG008 SEIRES..... 17-18

## ▶ APPLICATION

GALLERY..... 35-36

## COMPANY PROFILE



**Solar-Get**, a high-tech new energy enterprise dedicated to providing customers with off-grid/grid solar lighting solutions, one-stop to meet customers' procurement needs for the outdoor light including solar street lights, solar flood lights, solar landscape lights, home solar systems, energy storage batteries, solar panels, etc.

As a high-tech supplier of solar light integrating R&D, design, production, sales and after-sales with 3 years warranty, Solar get specializes in converting the natural energy to available energy for the humanity, reducing the pollution and meeting what the customer' s needs in greener way. Furthermore, we are committed to the high quality and innovation.

# PORTABLE SOLAR POWER



## SG001 series



- Small size, convenient to carry
- Integrated design, mould production
- Anti-dust design, DC output, safe and reliable
- Using LiFePO4 battery




## Parameter

Power		30W
Panel Watts	5V/5W	5V/18W
Battery	42W·h LiFePO4 battery	42W·h LiFePO4 battery.
Lamp	1 built-in lamp, 3 external 6W lamp with 3m cable.	1 built-in lamp, 3 external 6W lamp with 3m cable.
Output	3V DC, 5V/2A USB	3V DC, 5V/2A USB

# PORTABLE SOLAR POWER



## SG002 series



- Compact design, convenient to carry.
- Integrated packing, easy transportation.
- Could be connected through Bluetooth
- Could play audio files

## Parameter

Power	7W
Panel Watts	5V/30W
Battery	160W-h LiFePO4 battery
Lamp	1 built-in lamp, 3 external 6W lamp with 3m cable.
Output	3V DC, 5V/2A USB

# PORTABLE SOLAR POWER



## SG003 series



- Integrated design, integrating light, storage and use
- Dust-proof structure, built-in inverter design
- No maintenance, no fuel consumption, no noise, simple charging method
- ABS shell, impact resistance, heat resistance, low temperature resistance



## Parameter

Power	1KWH
Battery capacity	80Ah/12.8V
Storage capacity	1024Wh
Battery	42W-h LiFePO4 battery
USB output	Dual output 5V/2A, 9V/2A
DC output	Three outputs 12V/2A
Type-C output	5V/2A, 9V/2A, /12V/2A
Charging voltage	14.6-20V
AC output power	220V/1.1KW
AC output frequency	50Hz; pure sine wave
Product Size	317×241×204mm

# PORTABLE SOLAR POWER



## SG004 series

- Automatic load identification function
- Can provide charging for a variety of digital products
- Smart charging mode (plug and play)
- Emergency power supply equipment



## Parameter

Power	160W	300W	300W
AC output	AC110V/ 60HZ	AC110V /60HZ	AC220V/50-60HZ
Correction Wave	160W maximum200W	300W maximum350W	300W maximum350W
DC output	12V/2A*4 (Ø5.5*2.1mm hole location)	12V/2A*4 (Ø5.5*2.1mmhole location)	12V/2A*4 (Ø5.5*2.1mmhole location)
	USB: 5V/2A*2	USB: 5V/2A*2	USB: 5V/2A*2
	USB: QC3.0*2 (Fast charging technology)	USB: QC3.0*2 (Fast charging technology)	USB: QC3.0*2 (Fast charging technology)
Battery	14.4V 12AH	14.4V 20AH	14.4V 20AH
Battery type	LiFePO4 172Wh	LiFePO4 288Wh	LiFePO4 288Wh
Charger	AC100-240V DC14.4V/3A	AC100-240V DC14.4V/3A	AC100-240V DC14.4V/3A
Photovoltaic charging	16-18V/50W	16-18V/50W	16-18V/50W
Product Size	L185*W120*H180mm		



# PORTABLE SOLAR POWER



## SG005 series



- Home UPS and outdoor backup power functions
- With 220VAC, 12VDC, 5VDC multiple output
- Supports 220VAC, vehicle-mounted 12V, PV multiple charging methods
- Emergency power supply equipment

## Parameter

Power	160W	160W	300W	300W
AC output	110V/60HZ	220V/60HZ	110V/60HZ	220V/60HZ
Correction Wave	160W maximum200W	160W maximum200W	160W maximum200W	300W maximum350W
DC output	12V/2A*4 (Ø5.5*2.1mm hole location)	12V/2A*4 (Ø5.5*2.1mm hole location)	12V/2A*4 (Ø5.5*2.1mm hole location)	12V/2A*4 (Ø5.5*2.1mm hole location)
	USB: 5V/2A*2	USB: 5V/2A*2	USB: 5V/2A*2	USB: 5V/2A*2
	USB: QC3.0*2 (Fast charging technology)	USB: QC3.0*2 (Fast charging technology)	USB: QC3.0*2 (Fast charging technology)	USB: QC3.0*2 (Fast charging technology)
Battery	14.4V 12AH	14.4V 12AH	14.4V 12AH	14.4V 20AH
Battery type	LiFePO4 172Wh	LiFePO4 172Wh	LiFePO4 288Wh	LiFePO4 288Wh
Charger	AC100-240V DC14.4V/3A	AC100-240V DC14.4V/3A	AC100-240V DC14.4V/3A	AC100-240V DC14.4V/3A
Photovoltaic charging	16-18V/50W	16-18V/50W	16-18V/50W	16-18V/50W
Product Size	L200*W105*H165mm	L200*W105*H165mm	L200*W105*H165mm	L185*W120*H180mm

# PORTABLE SOLAR POWER



## SG006 series



- Stable power supply
- Portable handle design
- High-quality metal casing, anti-corrosion, anti-impact
- Fully compatible with a variety of devices, multi-faceted use.

## Parameter

Power	300W	500W
AC output	220V/50-60HZ	
Pure Wave	300W maximum350W	500W maximum550W
DC output	12V/2A*4 (Ø5.5*2.1 mmhole location)	12V/2A*4 (Ø5.5*2.1 mmhole location)
	5V/2A*2	
	QC3.0*2 (Fast charging technology)	
Battery	14.4V 30AH	14.4V 50AH
Battery type	LiFePO4 432Wh	LiFePO4 720Wh
Charger	AC100-240V DC14.4V/3A	
Photovoltaic charging	16-18V/50W	
Product Size	L255*W125*H185mm	L285*W125*H185mm

# PORTABLE SOLAR POWER



## SG007 series



- Solar charging
- USB mobile power charging
- Large capacity rechargeable battery
- Easy to carry, not tired, non-slip, provide a comfortable feel

## Parameter

Power	10W	30W
Light body size	170*130*45mm	210*190*45mm
Cell	4.2V/6AH	4.2V/12AH
Usb port	5V/2A	5V/2A
Panel Watts	5V 4W Mono	5V 8W Mono
Function	Band 3 lighting: 100% 70% 40% (USB cable with accessories)	

# PORTABLE SOLAR POWER



## SG008 series



- Portable AC Pure Sine Outdoor Solar Power Bank
- LCD Screen with charge data
- Car jump starter
- UPS charge function

## Parameter

Battery capacity	30Ah (384WH)	50Ah (640WH)	80Ah(1024Wh)	100Ah(1280Wh)
Battery Type	LiFePO4	LiFePO4	LiFePO4	LiFePO4
DC output	5V/12V/19V	5V/12V/19V	5V/12V/19V	5V/12V/19V
AC output	220V 300W	220V 600W	220V 1000W	220V 1000W
Waveform	pure sine wave	pure sine wave	pure sine wave	pure sine wave
Charging method	220v straight/solar panel	Built-in charger,220v straight	220v straight/solar panel	220v straight/solar panel
USB output	5V/2A	5V/2A	5V/2A	5V/2A

# Gallery

