

Solar Get-Lighting The Future



SOLAR COMMERCIAL LED STREET LIGHT SERIES

Shandong Solar Get New Energy & Technology Co.,Ltd

Head Quaters: No.60, Zicheng Road, Zibo City, Shandong, China

Production Base: No.24, Cao'an South Road, Zhongshan, Guangdong, China

Tel: +86 152 7533 6862

Email: sales@solar-get.com

www.solar-get.com




SOLAR GET

Lighting the future



Expertise



Integrity



Innovation

CONTENTS

► ABOUT US

COMPANY PROFILE 01-02

► INTEGRATED SOLAR STREET LIGHT

POLE STAR SERIES 03-04

CLOUD STAR SERIES 05-06

OCEAN STAR SERIES 07-08

WHALE STAR SERIES 09-10

ROSE STAR SERIES 11-12

► SEPARATED SOLAR STREET LIGHT

SUNFLOWER SERIES 13-14

ETERNEL STAR SERIES 15-16

SEAGULL STAR SERIES 17-18

FRAME STAR SERIES 19-20

RING STAR SERIES-1 21-22

RING STAR SERIES-2 23-24

RING STAR SERIES-3 25-26

EYE STAR SERIES 27-28

► APPLICATION

GALLERY 29-30



COMPANY PROFILE

Solar-Get, a high-tech new energy enterprise dedicated to providing customers with off-grid/grid solar lighting solutions, one-stop to meet customers' procurement needs for the outdoor light including solar street lights, solar flood lights, solar landscape lights, home solar systems, Energy Storage Batteries, solar panels, etc.

As a high-tech supplier of solar light integrating R&D, design, production, sales and after-sales with 3 years warranty, Solar get specializes in converting the natural energy to available energy for the humanity, reducing the pollution and meeting what the customer' s needs in greener way. Furthermore, we are committed to the high quality and innovation.



Smart Solar street lights



POLE STAR SERIES L E T R



- Solar powered light
- High brightness LED chip
- Advanced solar energy controller
- All in one design, Waterproof and dustproof



Parameter

Power	10W	15W	20W	30W	40W	60W	80W	100W	120W
Size(mm)	500*200*43	700*200*43	750*360*50	820*430*50	910*430*50	1070*430*50	1320*430*50	1460*430*50	1630*500*60
Led Brand	bridgelux	bridgelux	bridgelux	bridgelux	bridgelux	CREE	CREE	CREE	CREE
Led Module	1Module	1Module	1Module	1Module	2Module	3Module	4Module	5Module	6Module
Led qty	60 pcs	60 pcs	96 pcs	96 pcs	64pcs*2	64pcs*3	64pcs*4	64pcs*5	64pcs*6
Lumens	110lm/w								
Panel Size(mm)	500*170	700*170	750*331	820*398	910*398	1070*398	1316*398	1460*398	1670*500
Panel Watts(w)	MONO 15W	MONO 20W	MONO 45W	MONO 55W	MONO 60W	MONO 70W	MONO 85W	MONO 100W	MONO 150W
Battery type	32700 LiFePO4 BRAND NEW								
Battery	3.2V 20ah	3.2v 24ah	12.8v 18ah	12.8v 24ah	12.8v 30ah	12.8v 36ah	12.8v 48ah	12.8v 54ah	12.8v60ah
Charging Time	5-6 hours								
Work Mode	sensor	sensor	Time(3H 100% +3H 50%+6H30%) /sensor						
Days last	3 days rainy days back up								
Mounting Height	3-5m	3-50m	4-6m	4-6m	5-7m	6-8m	6-9m	7-9m	8-10m

Smart Solar street lights



Cloud Star Series




- Wireless management system
- High tensile aluminum body
- IP66 water resistance rating
- Good heat dissipation, long lifetime.
- Lightweight and easy installation
- Three years warranty

Parameter

Power	40W	60W	80W	100W
Size(mm)	820*430*50	920*430*50	1070*430*50	1326*430*50
Led Brand	bridgelux	bridgelux	bridgelux	bridgelux
Led Module	2Module	3Module	4Module	5Module
Led qty	50pcs*2	50pcs*3	50pcs*4	50pcs*5
Lumens	90lm/w			110lm/w
Panel Size(mm)	810*398	910*398	1060*398	1316*398
Panel Watts(w)	MONO 55W	MONO 60W	MONO 70W	MONO 85W
Battery type	32700 LiFePO4 BRAND NEW			
Battery	12.8v 12ah	12.8v 18ah	12.8v 24ah	12.8v 36ah
Charging Time	3-5 hours			
Work Mode	sensor			
Days last	3 days rainy days back up			
Mounting Height	4-5m	5-7m	6-8m	6-8m

Smart Solar Street Lights

Ocean Star Series



- Large flat street light
- Seiko-grade high-quality aluminum alloy die-casting, patent private model
- Using lithium iron phosphate battery
- Adopt polycarbonate outdoor optical lens
- Anti-aging, high temperature resistance without deformation

Parameter

Power	60W	100W
Lumens	6000lm	8000lm
Panel Watts(w)	MONO 80W	MONO 100W
Battery type	LiFePO4 battery	
Battery	3.2V/100Ah	3.2V/200Ah
Mounting Height	6-8M	6-8M

Smart Solar street lights

Whale Star Series



- Can be used from the equator to the South Pole
- Wireless application
- Low voltage design, safe and reliable
- Much lower cost, easy to transport.



Parameter

Power	200W	300W	200W (COB)	300W (COB)
Size(mm)	560*340*60	710*355*70	560*340*60	710*355*70
Beam angle	70-140			
Led qty	84pcs, 3030LED	144pcs, 3030 LED	108pcs, 2835 LED	162pcs, 2835 LED
Lumens	110lm/w			
Panel Size(mm)	335*447	348.5*577	335*447	348.5*577
Panel Watts(w)	Poly 20W	Poly 30W	Poly 20W	Poly 30W
Battery type	18000MAH LiFePO4 Battery	30000MAH LiFePO4 Battery	18000MAH LiFePO4 Battery	30000MAH LiFePO4 Battery
Color tempreature	6500K			
Charging Time	4-6 hrs			
Work Mode	Intelligence + Remote control + Light Control + Radar Sensors			
IP Protection	IP65			

Smart Solar street lights



ROSE STAR SERIES

- Low consumption, high brightness
- Adopt safe and high light transmittance tempered glass.
- Special appearance against electrostatic and corrosion.
- No radiation, no lead, mercury and other pollution elements.



Parameter

Power	100W	200W	300W
Battery	Lithium iron phosphate 12Ah	Lithium iron phosphate 18Ah	Lithium iron phosphate 24Ah
Panel Size(mm)	420*210	535*210	635*210
Panel Watts(w)	4V 10W	4V 15W	4V 18W
NO. of beads	360 pieces 2835high-brightness beads	480 pieces 2835high-brightness beads	600 pieces 2835high-brightness beads
Lamp body size	530*270*70	645*300*70	750*300*70
Discharge time	3 Days		
Irradiation area	60 square meters	100 square meters	150 square meters
Work Mode	Intelligent Optical Control + Remote Control+Radar Sensors		
Product configuration	Remote Controller		

Smart Solar street lights



SUNFLOWER STAR SERIES

- Private mold product, original design
- Die-cast aluminum case, excellent quality
- High lumen, brightness increased by 50%
- P-MOS charging, charging efficiency increased by 20%
- Smart power management system



Parameter


Power	100W	200W	300W	400W
Battery	Lithium iron phosphate 18Ah	Lithium iron phosphate 30Ah	Lithium iron phosphate 36Ah	Lithium iron phosphate 48Ah
Panel Size(mm)	430*350	580*350	630*350	670*445
Panel Watts(w)	5V/25W	5V/35W	5V/40W	5V/48W
NO. of beads	192 pieces 2835high-brightness beads	192 pieces 2835high-brightness beads	300 pieces 2835high-brightness beads	300 pieces 2835high-brightness beads
Lamp body size	520*260*80		600*300*80mm	
Discharge time	About 18 hours		2 Days	
Work Mode	Intelligent Optical Control + Remote Control+Radar Sensors			
Product configuration	Waterproof Line/U Frame/Lamp Arm/Remote Controller/Screw			

Smart Solar street lights



Eternal Star Series

- High quality aluminum magnesium alloy die-casting
- Powered by Cree LED TM Products
- With LiFePO4 battery ,life span is more than 12 years
- All night lighting.
- The working temperature is $-47-70^{\circ}$ C.




Parameter

Power	20W	40W	60W	80W	100W
Panel Watts(w)	5V/50W	5V/100W	5V/120W	5V/160W	5V/180W
Lamp	Common LED 24W	Common LED 36W	Common LED 56W	Common LED 80W	Common LED 120W
Lumens	2200lm	3600lm	5800lm	8400lm	14000lm
Battery	3.2V/25 (±5) AH	3.2V/50Ah	3.2V/90Ah	3.2V/160Ah	3.2V/200Ah
Battery type	LiFePO4 battery				
Lighting time	Whole night lighting, with remoted control				
Install height	5-6M	6-8M	8-10M	9-10M	10-12M

Smart Solar street lights

SEAS A Seagull Star Series GULLT R



- With BYD LifePO4 battery, high safety, long lifespan.
- Using Japanese imported Nichia LED SMD with 50,000 hrs life span
- No need of wire or city electric, easily for installation
- Energy saving and environment protection, no electricity bills


Parameter

Power	20W	50W
Panel Watts(w)	5V/30W poly	5V/50W poly
Lamp	Common LED 20W	Common LED 20W
Lumens	1900lm	2100lm
Battery	3.2V/20Ah	3.2V/40Ah
Battery type	LiFePO4 battery	
Lighting time	Whole night lighting, with remoted control	


Smart Solar street lights



F R A S A M E T R Frame Star Series



- Positive A-level cells, each cell has a complete IV curve
- Lithium iron phosphate battery, high safety factor
- High lumen value LED patch, high lighting brightness
- Imported polycarbonate outdoor optical lens, with strong light transmission
- No deformation and discoloration



Parameter

Power	20W	30W	50W	80W
Panel Watts(w)	5V/50Wpoly	5V/65W poly	5V/120W poly	5V/135W mono
Lamp	Common LED 20W	Common LED 30W	Common LED 50W	Common LED 80W
Lumens	1800lm	3200lm	5400lm	7700lm
Battery	3.2V/35 (±5)	3.2V/60Ah	3.2V/80Ah	3.2V/140Ah
Battery type	LiFePO4 battery			
Lighting time	Whole night lighting, with remoted control			
Install height	5-6M		8-10M	

Smart Solar street lights



Ring Star Series-1



Parameter

- ABS anti-UV engineering plastic housing
- High strength, good toughness, effective anti-rust
- High-quality cold-rolled sheet die-casting, anti-corrosion
- Integrated design, beautiful and practical.

Power	60W	100W	200W	300W	400W
Panel Size(mm)	340*290*17	340*385*17	350*520*17	350*630*17	440*660*25
Panel Watts(w)	5V/8W poly	5V/25W poly	5V/35W poly	5V/40W poly	5V/50W poly
Lamp size(mm)	390*185*78mm		480*225*78mm		
Led qty	SMD2835 66PCS		SMD2835 120PCS		
Battery	3.2V/10000mAh	3.2V/16500mAh	3.2V/27500mAh	3.2V/33000mAh	3.2V/44000mAh
Lighting area	60m ³	80m ³	100m ³	150m ³	200m ³
IP protection	IP 65				
Charging Time	5H				
Working time	≥12h				

Smart Solar street lights



Ring Star Series-2



- High Efficiency Polysilicon Solar Panel
- Adopt high-capacity Lithium iron phosphate battery
- High lumens and good quality
- High and low temperature resistance, anti-aging



Parameter

Power	60W	100W	150W	200W	300W
Panel Watts(w)	6V/20W poly	6V/35W poly	6V/40W poly	6V/50W poly	6V/80W poly
Led qty	SMD2835 120PCS	SMD2835 160PCS	SMD2835 300PCS	SMD2835 406PCS	SMD2835 600PCS
Battery	3.2V/24000mAh	3.2V/36000mAh	3.2V/48000mAh	3.2V/60000mAh	3.2V/84000mAh
Lighting area	60m ³	80m ³	100m ³	150m ³	200m ³
IP protection	IP 65				
Charging Time	5H				
Working time	≥12h				

Smart Solar street lights



Ring Star Series-3



- Multiple functional models against the rainy days
- Using light control system
- Solar Street Light with Remote Control.
- High brightness and long lasting



Parameter

Power	50W	60W	80W	100W	150W	200W	300W
Panel Watts(w)	6V/8W poly	6V/12W poly	6V/15W poly	6V/20W poly	6V/28W poly	6V/30W poly	6V/35W
Led qty	SMD5730 61PCS	SMD5730 97PCS	SMD5730 97PCS	SMD5730 190PCS	SMD5730 208PCS	SMD5730 378PCS	SMD5730 378PCS
Battery	3.2V/6000mAh	3.2V/12000mAh	3.2V/18000mAh	3.2V/18000mAh	3.2V/24000mA	3.2V/24000mAh	3.2V/30000mAh
Lighting area	60m ³	80m ³	100m ³	150m ³	150m ³	200m ³	200m ³
IP protection	IP 65						
Charging Time	5H						
Working time	≥12h						

Smart Solar street lights



E Y S A Eye Star Series E T R



-1



-2



-3

- Monitoring street light integration
- Energy conservation
- High efficiency solar panel

Parameter

Power	150W
LED Qty	120PCS
Battery	3.2V/120AH
Panel Watts	80W
Charging Time	4-6 hrs
IP Protection	IP66
Mode	Light Control
Warranty	2-5 years
CCTV Camera	Cruise ball, 500W
Accessories	With visual system inspection box, bracket, and anchor bolts

Power	150W
LED Qty	120PCS
Battery	3.2V/120AH
Panel Watts	80W
Charging Time	4-6 hrs
IP Protection	IP66
Mode	Light Control
Warranty	2-5 years
CCTV Camera	Positioning dome machine, 300W
Accessories	With visual system inspection box, bracket, and anchor bolts

Power	60W
LED Qty	120PCS
Battery	3.2V/66AH
Panel Watts	60W
Charging Time	4-6 hrs
IP Protection	IP66
Mode	Light Control
Warranty	2-5 years
CCTV Camera	Blue light simulation monitoring ball
Accessories	With visual system inspection box, bracket, and anchor bolts

Gallery

