

Solar Get-Lighting The Future



**SOLAR COMMERCIAL
LED FLOOD LIGHT SERIES**

Shandong Solar Get New Energy & Technology Co.,Ltd

Head Quaters: No.60, Zicheng Road, Zibo City, Shandong, China

Production Base: No.24, Cao'an South Road, Zhongshan, Guangdong, China

Tel: +86 152 7533 6862

Email: sales@solar-get.com

www.solar-get.com

SOLAR GET

Lighting the future



CONTENTS

► ABOUT US

COMPANY PROFILE 01-02

► SOLAR FLOOD LIGHT

BLUE SKY SERIES 03-04

RAINBOW SERIES 05-06

RAINBOW RGB SERIES 07-08

SNOW SERIES 09-10

SNOW CAMERA SERIES 11-12

MOON SERIES 13-14

BREEZY SERIES 15-16

► APPLICATION

GALLERY 17-18






COMPANY PROFILE

Solar-Get, a high-tech new energy enterprise dedicated to providing customers with off-grid/grid solar lighting solutions, one-stop to meet customers' procurement needs for the outdoor light including solar street lights, solar flood lights, solar landscape lights, home solar systems, Energy Storage Batteries, solar panels, etc.

As a high-tech supplier of solar light integrating R&D, design, production, sales and after-sales with 3 years warranty, Solar get specializes in converting the natural energy to available energy for the humanity, reducing the pollution and meeting what the customer' s needs in greener way. Furthermore, we are committed to the high quality and innovation.

Smart Solar flood lights



Blue Sky Series




- Famous brand 3030SMD light source
- Advanced solar energy controller
- Diecasting aluminum body
- IP66 waterproof for outdoor use


Parameter

Power	LED	PANEL	BATTERY	LUMENS	LIGHTING SQM	MATERIAL	CHARGING/DISCHARGING
50W	50 pcs epistar 3030	MONO 15W	3.2V18AHLiFePO4	1000lm	50 sqm	DIECASTALUMINUM/PC COVER	5-6 hours/12-16 hours
100w	100 pcs epistar 3030	MONO 20W	3.2V24AHLiFePO5	1300lm	100 sam	DE CASALUMINUM/PC COVER	5-6 hours/12-16 hours
200w	150 pcs epistar 3030	MONO 25W	3.2V30AH LiFePO6	1800lm	150 sqm	DECASALUMINUM/PC COVER	5-6 hours/12-16 hours

Smart Solar flood lights



Rainbow Series




- Patent Product, Original Design.
- Advanced solar energy controller
- Diecasting aluminum body
- Good heat dissipation. Anti-aging, anti-corrosion

Parameter

Power	60W	100W	200W	300W	500W	800W
Panel size(mm)	350*235	350*290	430*350	580*350	630*350	670*445
Panel Watts	5V/12W Poly	5V/15W Poly	5V/25W Poly	5V/35W Poly	5V/40W Poly	5V/50W Poly
Battery	LiFePO4 6Ah	LiFePO4 12Ah	LiFePO4 18Ah	LiFePO4 24Ah	LiFePO4 30Ah	LiFePO4 48Ah
NO. of lamp chip	24 pieces SMD5050	39 pieces SMD5050	50 pieces SMD5050	72 pieces SMD5050	95 pieces SMD5050	95 pieces SMD5050
Lamp body size	215.2*170.2*60	260.2*202.2*65	305.1*240.1*69	340.2*270.2*78	385.2*303.2*82	385.2*303.2*82
Irradiation area	15 Square meters	20 Square meters	30 Square meters	30 Square meters	60 Square meters	80 Square meters
Discharge time	18+ hours	18+ hours	18+ hours	18+ hours	18+ hours	18+ hours
Function	Intelligent light control+Remote control+ Buletooth Music Rhythm					
Product Configuration	Waterproof cable/ u-frame/ remote control/ screw					

Smart Solar flood lights



Rainbow RGB Series




- 16million colors APP Control Musical Rhythm Timer Setting
- Hi-tech design, meet more clients demand.
- Smart Control System To Prolong.
- Built-in blue tooth function, brightness adjustable on mobile App.Color changing with musical rhythm.

Parameter

Power	60W	100W	200W	300W	500W	800W
Panel size(mm)	350*235	350*290	430*350	580*350	630*350	670*445
Panel Watts	5V/12W Poly	5V/15W Poly	5V/25W Poly	5V/35W Poly	5V/40W Poly	5V/50W Poly
Battery	LiFePO4 6Ah	LiFePO4 12Ah	LiFePO4 18Ah	LiFePO4 24Ah	LiFePO4 30Ah	LiFePO4 48Ah
NO. of lamp chip	24 pieces SMD5050	39 pieces SMD5050	50 pieces SMD5050	72 pieces SMD5050	95 pieces SMD5050	95 pieces SMD5050
Lamp body size	215.2*170.2*60	260.2*202.2*65	305.1*240.1*69	340.2*270.2*78	385.2*303.2*82	385.2*303.2*82
Irradiation area	15 Square meters	20 Square meters	30 Square meters	30 Square meters	60 Square meters	80 Square meters
Discharge time	18+ hours	18+ hours	18+ hours	18+ hours	18+ hours	18+ hours
Function	Intelligent light control+Remote control+ Buletooth Music Rhythm					
Product Configuration	Waterproof cable/ u-frame/ remote control/ screw					

Smart Solar flood lights



Snow Series



- Flood light with radar sensor.
- Advanced solar energy controller
- With smart optical sensor and remote control.
- IP66 waterproof for outdoor use
- LED power: 50W to 600W for option.



Parameter

Power	50W	100W	200W	300W	400W	600W
Panel size(mm)	350*235	350*300	430*350	500*350	580*350	580*350
Panel Watts	5V/10W	5V/15W	5V/25W	5V/28W	5V/35W	5V/40W
Battery	6Ah	12Ah	18Ah	24Ah	30Ah	36Ah
Battery type	Lithium iron phosphate					
NO. of lamp chip	82 pieces 2835 high-brightness beads	82 pieces 2835 high-brightness beads	144 pieces 2835 high-brightness beads	236 pieces 2835 high-brightness beads	324 pieces 2835 high-brightness beads	324 pieces 3030 high-brightness beads
Lamp body size(mm)	217*179*45	217*179*45	258*213*45	312*270*50	365*295*50	365*295*50
Irradiation area	50 Square meters	80 Square meters	150 Square meters	200 Square meters	300 Square meters	300 Square meters
Discharge time	18+ hours	18+ hours	18+ hours	18+ hours	18+ hours	18+ hours
Function	Intelligent light control+Remote control+ Buletooth Music Rhythm					
Product Configuration	Waterproof cable/ u-frame/ remote control/ screw					

Smart Solar flood lights

Snow Camera Series




Parameter

Power	100W	200W	300W	400W
Panel size(mm)	350*350	530*350	580*350	630*350
Panel Watts	5V/20W Poly	5V/28W Poly	5V/28W Poly	5V/40W Poly
Battery	12Ah	24Ah	30Ah	42Ah
Battery type	Lithium iron phosphate			
NO. of lamp chip	82 pieces	144 pieces	236 pieces	324 pieces
Lamp body size(mm)	217*179*45	258*213*45	312*270*50	365*295*50
Irradiation area	80 Square meters	150 Square meters	200 Square meters	300 Square meters
Discharge time	2 cloudy or rainy days			
Function	Intelligent light control+Remote control+ Buletooth Music Rhythm			
Product Configuration	Waterproof cable/ u-frame/ remote control/ screw			

- Solar Flood Light with Camera
- The leader of solar monitoring and light projection.
- Rechargeable even on cloudy days
- Suitable for any outdoor scene lighting and security use.

Smart Solar flood lights



Moon Series




- Imported Cree Kerui LED light beads with long service life
- Lithium iron phosphate battery is adopted
- The diamond surface reflection technology can reflect the light of the light source
- High temperature resistance, no deformation.



Parameter

Power	30W	50W	100W	200W	300W	500W
Panel Watts	5V/12W	5V/36W	5V/36W	5V/50W	5V/80W	5V/100W
Battery	3.2V/13000mAH	3.2V/20000mAH	3.2V/25000mAH	3.2V/45000mAH	3.2V/60000mAH	3.2V/80000mAH
Battery type	LiFePO4 battery					
Lumens	600lumen	1500lumen	1600lumen	2200lumen	3500lumen	5600lumen
Lighting time	All night lighting,with remote control					

Smart Solar flood lights



Breeze Series



- Wireless Wifi and video monitoring with 720P camera head
- No fear of temperature difference, no fogging on the glass surface
- IP 67 waterproof and photoelectric induction
- Video record and circle shoot

Parameter

Power	100W	200W	300W(Good quality)	300W(High quality)	500W(Good quality)	500W(High quality)
Panel Watts	5V 15W	5X 18W	5V 20W	5V 20W	5V 80W	5V 100W
Panel Size(mm)	350*290*16	350*350*16	425*350*17	425*350*17	835*670*30	1000*670*30
Panel Qty	2PCS	2PCS	2PCS	2PCS	1PCS	1PCS
Lamp Body Size(mm)	215*202*75	245*215*75	290*232*85	290*232*85	350*274*105	350*274*105
Battery	3.2V 24AH	3.2V 30AH	3.2V 30AH	3.2V 40AH	3.2V 75AH	3.2V 100AH
Battery Type	18650 2AH	32135 15AH	32135 15AH	34185 20AH	34200 25AH	34200 25AH
LED Qty	3030 100PCS	3030 185PCS	3030 223PCS	5054 107PCS	5054 180PCS	5054 180PCS

Gallery

